




RESIDENTIAL





ENGINEERING IS EVERYTHING

Art Mihalcheon, our founder of Steel-Craft Door Products Ltd. was a true visionary. He designed all of his own tooling to ensure that every Steel-Craft Door was made with unparalleled components and superior materials. Today, with our valued employees, patented technology and our state-of-the-art manufacturing facility, we guarantee our continued commitment to excellence and the highest quality materials. At Steel-Craft, engineering and design is everything.





STEEL-CRAFT DOOR PRODUCTS LTD. MADE IN CANADA FOR CANADA

Steel-Craft has been manufacturing durable garage doors since 1963, for residential, commercial and industrial applications for all of our customer needs. We remain the only door manufacturer in North America able to customize our products to fulfill all of our customer's requirements.

Constructed with 100% Canadian steel, our products are designed to withstand even the most extreme weather conditions.





OUR PARTS DO More than work


At Steel-Craft, we know our customers are particular and our doors should be too. Through our engineering process and distinctive designs, we ensure that every component of our doors function at the highest level of quality. Our parts do more than work, they work to the best standards of excellence throughout their use.

Don't just hang a door, **Install a Steel-Craft**.

ALL GARAGE DOORS ARE NOT CREATED EQUAL

Our Steel-Craft products are distinctive in appearance, more importantly they are designed and crafted to bring balance and elegance to each and every home.





DESIGNED LIKE NO OTHER

Steel-Craft doors are specially designed and crafted to handle all Canadian weather.

WEATHERLOCK SYSTEM


Our patented system overlaps the interior and exterior skins, locking out the cold, preventing interior heat loss, all the while extending the life of your door.

We use 100% Canadian steel of the highest quality. Completed with several layers of protective coating and the finest quality commercial grade paint.

CLIMACORE 100% CFC & HCFC FREE POLYURETHANE INSULATION

Steel-Craft's ClimaCore insulation is specially designed to achieve the highest insulation between steel skins, providing the best R-Value, strong and consistent protection from the elements.

THERMO-CRAFT



Headroom requirements may vary on doors.



COLOUR OPTIONS

Brochure colour representation may vary from true colour. To obtain an exact colour reference, please contact a Steel-Craft dealer for colour samples.

AVAILABLE IN T-12 & T-16

White





PLAIN LITE

Frame colours available White, Sable Grey, Sandstone, Brown and Weathered.



Satin Texture

Please Note: Glazing and window options are only available in the T-16 product line.

INLAID MUNTIN BARS

Window size available in 26"x 14" Available in 5/8" ThermoPane. Muntin Bars available in Brass, Pewter, and White.



Regal



Stanton

SNAP-IN DECORATIVE DESIGNS

Window size available in 26"x 14" Available in 5/8" ThermoPane. Colours available in Brown, Sandstone, and White.

Cascade	Somerton - 3 Panel Design
Somerview	Stockbridge
	KA KA KA
Stockton	Waterton
Wynbridge - 3 Panel Desig	a

Wynbridge - 3 Panel Design

RANCH-CRAFT RIDGELINE



notable for its long panel design, delivers exceptional construction, and thermal efficiency.

Headroom requirements may vary on doors.



COLOUR OPTIONS

Brochure colour representation may vary from true colour. To obtain an exact colour reference, please contact a Steel-Craft dealer for colour samples.

AVAILABLE IN RC-10 & RC-16

White



Sable Grey Sandstone Brown



Weathered Wood Walnut



WINDOW OPTIONS

PLAIN LITE

Frame colours available White, Sable Grey, Sandstone, Brown, Espresso, Black and Weathered.



Satin Texture

ELITE GLASS



Dark Tint

Please Note: Glazing and window options are only available in the RC-16 product line.

INLAID MUNTIN BARS

Window size available in 38"x 14" Available in 5/8" ThermoPane. Muntin Bars available in Black, Brass, Bronze, Pewter, and White.







Provincial Wide

Regal Wide

SNAP-IN DECORATIVE DESIGNS

Window size available in 38"x 14" Available in 5/8" ThermoPane. Colours available in Brown, Sandstone, and White.

Cascade	Somerton
Stockton	Stockbridge
Waterton	Wynbridge



CARRIAGE-CRAFT



more traditional aesthetic, delivers immaculate construction, and thermal efficiency.

Headroom requirements may vary on doors.

DOOR PRODUCT	CC-16
R-VALUE	16
THICKNESS	1-3/4"
AVAILABLE WIDTHS	8' 9' 10' 12' 14' 16' 18'
STANDARD HEIGHT	6' - 10'

ELITE FINISHES

Charcoal

Walnut

COLOUR OPTIONS

Brochure colour representation may vary from true colour. To obtain an exact colour reference, please contact a Steel-Craft dealer for colour samples.

AVAILABLE IN	CC-16
---------------------	--------------



Sable Grey Sandstone

Brown



PLAIN LITE

Frame colours available White, Sable Grey, Sandstone, Brown, Espresso and Black.





Satin Texture

ELITE GLASS

Bronze Tint



INLAID MUNTIN BARS

Window size available in 38"x 14" Available in 5/8" ThermoPane. Muntin Bars available in Black, Brass, Bronze, Pewter, and White.



Provincial Wide

SNAP-IN DECORATIVE DESIGNS

Window size available in 38"x 14" Available in 5/8" ThermoPane. Colours available in Brown, Sandstone, and White.



DECORATIVE HARDWARE

HINGES



Black Iron Hinge



Black Iron Hinge

16" Umbria Black Iron Hinge

HANDLES



Veneto Stamped Steel Handle

Milano Forged Black Iron Handle


16

FLUSH



The Flush garage door series conveys a progressively modern aesthetic while maintaining exceptional construction and thermal efficiency.

Headroom requirements may vary on doors.



COLOUR OPTIONS

Brochure colour representation may vary from true colour. To obtain an exact colour reference, please contact a Steel-Craft dealer for colour samples.

AVAILABLE IN FL138 & FL134

AVAILABLE IN FL134

ELITE FINISHES

White







Charcoal

WINDOW OPTIONS

PLAIN LITE

Frame colours available in White, Sable Grey, Sandstone, Espresso, Weathered and Black.





Satin Texture

ELITE GLASS



Bronze Tint

Dark Tint

INLAID MUNTIN BARS

Window sizes available in 26"x 14" and 38"x 14" Available in 5/8" ThermoPane.

26"x 14"

Regal

Muntin Bars available in Brass, Pewter, and White.









38"x 14"

Muntin Bars available in Black, Brass, Bronze, Pewter, and White.





24"x 6" WINDOWS

Available in 5/8" ThermoPane. Alignment available in Left Vertical Column, Right Vertical Column and Top Horizontal Row.

See Contemporary door for window placement options.



CONTEMPORARY



The Contemporary garage door series, immaculately constructed, offers the texture and aesthetic of real wood panels with excellent thermal efficiency.

Headroom requirements may vary on doors.

	_	-
DOOL		DUOT
DOOF		

R-VALUE

THICKNESS

AVAILABLE WIDTHS

STANDARD HEIGHT

CONTEMPORARY
16
1-3/4"
8' 9' 10' 12' 14' 16' 18'
6' - 10'

COLOUR OPTIONS

Brochure colour representation may vary from true colour. To obtain an exact colour reference, please contact a Steel-Craft dealer for colour samples.



ELITE FINISHES



Charcoal

WINDOW OPTIONS

GLASS COLOUR

Frame colours available in White, Sable Grey, Espresso and Black.





Satin Texture





Dark Tint

WINDOW PLACEMENT OPTIONS

Window size available in 24"x 6" Available in 5/8" ThermoPane. Alignment available in Left Vertical Column, Right Vertical Column and Top Horizontal Row.

Cedar

8



Full Section Stacked

Top Section Stacked

MID-CENTURY Modern

The Mid-Century Modern garage door series is ideal for home renovations or new construction. Mid-Century Modern combines our state of the art fabrication with elegance.

Headroom requirements may vary on doors.

DOOR PRODUCT	MID-CENTURY MODERN
R-VALUE	16
THICKNESS	1-3/4"
AVAILABLE WIDTHS	8' 9' 10' 12' 14' 16' 18'
STANDARD HEIGHT	6' - 10'

COLOUR OPTIONS

Brochure colour representation may vary from true colour.

To obtain an exact colour reference, please contact a Steel-Craft dealer for colour samples.

White	Sable Grey	Sandstone	Brown	Weath



WINDOW OPTIONS

GLASS COLOUR

Frame colours available in White, Sable Grey, Sandstone, Brown, Espresso, Weathered and Black.



Satin Texture

ELITE GLASS

Bronze Tint

Dark Tint

INLAID MUNTIN BARS

Window sizes available in 26"x 14" and 38"x 14" Available 5/8" ThermoPane.

26"x 14"

1

Regal

Muntin Bars available in Brass, Pewter, and White.





38"x 14"

Muntin Bars available in Black, Brass, Bronze, Pewter, and White.





Stanton Wide



Provincial Wide

24"x 6" WINDOWS

Available in 5/8" ThermoPane. Alignment available in Left Vertical Column, Right Vertical Column and Top Horizontal Row.

Frame colour not available in Sandstone or Brown.



ESTEEM

At Steel-Craft, we know your home is one of a kind, and we think your doors should be too. Our ESTEEM garage door series is sure to increase your curb appeal with customized windows available in a wide variety of colours, sizes, and materials. These carefully crafted aluminum doors guarantee durability and elegance. Welcome your home with ESTEEM.





COLOUR OPTIONS

Brochure colour representation may vary from true colour. To obtain an exact colour reference, please contact a Steel-Craft dealer for colour samples.

ANODIZED	ACRYNAR FINISH	DURANAR FINISHE	S		POWDERCOAT
Clear	White	Black	Charcoal	Dark Bronze	Sable Grey

Note: A full selection of custom colour options are available upon request. Please consult factory for details.

WINDOW OPTIONS

GLASS OPTIONS

Standard 4mm tempered single pane and 4mm tempered sealed units.

Clear	Dark Tint Clear	Satin Privacy	Dark Tint Privacy	Bronze Reflective

LAYOUT OPTIONS

4 SECTION - 2 PANEL	8'x 7'	8'x 8'	9'x 7'	9'x 8'
4 SECTION - 3 PANEL	10'x 7'	10'x 8'	12'x 7'	12'x 8'
4 SECTION - 4 PANEL	14'x 7'	14'x 8'	16'x 7'	16'x 8'
4 SECTION - 5 PANEL	18'x 7'	18'x 8'		
5 SECTION - 2-5 PANEL		9' Height and 10' He	eight Available	



CUSTOM EXTRUDED ALUMINUM RAILS & STILES

TEMPERED SEALED GLASS POLYCARBONATE OR INSULATED ALUMINUM PANELS

All glazing materials sealed to door frame with butyl tape and held securely with rigid PVC snap-in mouldings

INTERMEDIATE VINYL WEATHER STRIP

HYDR-O-GUARD DESIGN

SNAP-IN RETAINER

BOTTOM VINYL WEATHER STRIP

FRAMES

- Thickness: 0.071"(1.8mm);0.118"(3mm) at fastener locations •
- Standard Top/Bottom/End Stiles: 6-3/8"(162mm)
- Intermediate Stiles: 3.0"(76mm)

INSULATED ALUMINUM PANEL

0.05" (1.27mm) thick aluminum sheet material insulated and sealed to door frame

DOOR FACE HARDWARE

- Graduated end hinges and centre hinges made from galvanized steel
- Heavy duty rollers with heat-treated and outer races with 10 floating ball bearings.

TRACKS

2"(50mm) or 3"(75mm) wide galvanized steel tracks.

COUNTERBALANCE SYSTEM

- Class II oil tempered ASTM A229 wire, minimum 10,000 cycle torsion springs on continuous steel shaft
- Quality galvanized lift cables with a minimum safety factor of 7 to 1

STRUTTING

- Doors over 11 feet in width are reinforced with 16ga galvanized steel "Z" brace per section
- Strutting required for doors wider than 11 feet (3,353mm)

WEATHERSTRIPPING

- Bottom weatherstripping: U-type arctic grade vinyl
- **Jamb:** quality factory finished metal with two-point flexible arctic grade vinyl weatherstrip
- **Header:** quality factory finished metal with two-point flexible arctic grade vinyl weatherstrip

TRI-SEAL (SEALED GLASS UNITS)

- Reduces Sealant Stress: Super Spacer's thermoset silicone polymer material expands and contracts and always returns to its original shape.
- **Promotes Sound Absorption:** The closed-cell polymer of Super Spacer transmits very little sound compared to conventional aluminum or less-metal warm edge spacers. We recommend the use of Super Spacer wherever noise from airplanes, trains or automobiles may be a problem for building occupants.
- Improves Condensation Resistance: The significantly reduced tendency of Insulated Glazing (IG) units fabricated with Super Spacer to exhibit interior condensation or frosting means that the health problems associated with mold may be virtually eliminated.
- The No-Metal Advantage: The edge of an IG unit is the most vulnerable part of the glass to heating and cooling losses, condensation and frosting. Super Spacer contains NO-Metal and is one of the most thermally efficient IG spacers available in the market today.
- Globally Tested and Proven Performance: Super Spacer is the world's first polymer, NO-Metal warm edge spacer. Over 1 billion feet of Super Spacer has been used worldwide since the start of production in 1989. The company received the 1994 "Solar Company of the Year" award issued by Solar Energy Society of Canada, Inc. Super Spacer was awarded the DWM Green Product Award in both 2009 and 2010.

HYDR-O-GUARD

Re-Designed to keep the weather out. **Note:** SA7500 Aluminum rails will be used going forward on all Esteem door styles.

THE BEST DOOR WOULD BE YOUR OWN STEEL-CRAFT DOOR.

Select your choice of garage door style, colour or finish, windows and decorative accessories by contacting one of our Steel-Craft Dealers or Distributers.

STEEL-CRAFT WARRANTY.

At Steel-Craft, we take pride in our solution-based customer service and carefully plan each component of our doors to meet your needs. Our warranty covers five years from the delivery date on door faces for materials and finishes and safeguards against potential cracking, splitting or deterioration due to rust. We offer a 10-year Pro-rated warranty on all our Steel-Craft components and hardware. Adding an aftermarket paint finish to our Steel-Craft Door Faces will void our warranty. For more information on our warranty, please visit our website.





BRANCH SALES & DISTRIBUTION CENTRES

EDMONTON

Head Office: 1.800.463.3667 13504, St.Albert Trail Edmonton, AB T5L 4P4

CALGARY 1.800.561.9871

KELOWNA 1.800.880.0755

VANCOUVER 1.800.361.3667

TORONTO 1.800.465.7091

DISTRIBUTION PARTNERS

LETHBRIDGE 1.403.327.3667

SASKATOON 1.888.233.3667

REGINA 1.888.233.3667

PRINCE ALBERT 1.888.233.3667

WINNIPEG 1.204.668.2000

HALIFAX 1.902.468.8912



Don't just hang a door, **Install a Steel-Craft. steel-craft.ca**